



FAG BND3176-Z-Y-BL-S参数

|    |                |         |    |        |
|----|----------------|---------|----|--------|
| 尺寸 | d              | 380     | mm | —      |
|    | a              | 1200    | mm | —      |
|    | h <sub>1</sub> | 790     | mm | —      |
|    | b              | 380     | mm | —      |
|    | c              | 125     | mm | —      |
|    | D              | 620     | mm | —      |
|    | d <sub>z</sub> | 400     | mm | —      |
|    | g              | 230     | mm | —      |
|    | g <sub>3</sub> | 202     | mm | —      |
|    | g <sub>5</sub> | 404     | mm | —      |
|    | h              | 390     | mm | —      |
|    | k              | 5       | mm | —      |
|    | m              | 1000    | mm | —      |
|    | n              | 200     | mm | —      |
|    | s              | M56     |    | —      |
| 说明 | s <sub>2</sub> | M30     |    | —      |
| 尺寸 | t              | 680     | mm | —      |
|    | u              | 64      | mm | —      |
|    | v              | 85      | mm | —      |
| 说明 | s <sub>2</sub> | 8       |    | 数量     |
|    |                | 23176   |    | 型号，轴承  |
| 重量 | m <sub>1</sub> | 720000  | g  | 质量，轴承座 |
| 说明 |                | BND3176 |    | 型号，轴承座 |

FAG BND3176-Z-Y-BL-S图片



参考资料:<http://www.sozhou.com/p/2a2f5671.html>