

FAG SNV170-F-L + 1316K + H316X214 + TCV616X214参数

|    |                |             |    |                 |
|----|----------------|-------------|----|-----------------|
| 尺寸 | d <sub>1</sub> | 73.025      | mm | -               |
|    | a              | 345         | mm | -               |
|    | h <sub>1</sub> | 219         | mm | -               |
|    | g              | 150         | mm | -               |
|    | b              | 100         | mm | -               |
|    | c              | 35          | mm | -               |
|    | D              | 170         | mm | -               |
|    | g <sub>3</sub> | 16          | mm | -               |
|    | g <sub>T</sub> | 193         | mm | -               |
|    | h              | 112         | mm | -               |
|    | m              | 290         | mm | -               |
|    | s              | M20         |    | -               |
|    | s              | 19.05       | mm | -               |
|    | u              | 22          | mm | -               |
|    | v              | 27          | mm | -               |
| 重量 | m <sub>1</sub> | 14400       | g  | 质量, 轴承座         |
| 说明 |                | 1316K       |    | 型号, 轴承          |
|    |                | H316.214    |    | 质量, 紧定套         |
|    |                | FRM170/14.5 |    | 型号, 定位圈         |
|    |                | TCV616.214  |    | 型号, Taconite 密封 |
|    |                | DKV170      |    | 型号, 端盖          |
|    |                | SNV170-F-L  |    | 型号, 轴承座         |

FAG SNV170-F-L + 1316K + H316X214 + TCV616X214图片





