

FAG SNV090-F-L + 21308K + H308X105 + FSV608X105参数

|    |                |            |    |          |
|----|----------------|------------|----|----------|
| 尺寸 | d <sub>1</sub> | 33.3375    | mm | -        |
|    | a              | 205        | mm | -        |
|    | h <sub>1</sub> | 117        | mm | -        |
|    | g              | 100        | mm | -        |
|    | b              | 60         | mm | -        |
|    | c              | 25         | mm | -        |
|    | D              | 90         | mm | -        |
|    | g <sub>3</sub> | 12.5       | mm | -        |
|    | h              | 60         | mm | -        |
|    | m              | 170        | mm | -        |
|    | s              | M12        |    | -        |
|    | s              | 12.7       | mm | -        |
|    | u              | 15         | mm | -        |
|    | v              | 20         | mm | -        |
| 重量 | m <sub>1</sub> | 3100       | g  | 质量, 轴承座  |
| 说明 |                | 21308K     |    | 型号, 轴承   |
|    |                | H308X105   |    | 质量, 紧定套  |
|    |                | FRM90/9    |    | 型号, 定位圈  |
|    |                | FSV608.105 |    | 型号, 毛毡密封 |
|    |                | DKV090     |    | 型号, 端盖   |
|    |                | SNV090-F-L |    | 型号, 轴承座  |

FAG SNV090-F-L + 21308K + H308X105 + FSV608X105图片





